

Drill Adaptor ____

Convert a 3/8" Drill to a 1/4" Quick Change power bit.

Part No. 905



Locator - Driver - Bit Holder -

1/4" Hex Shank, 4 3/4" OAL.

Magnetic driver keeps screws straight while driving.

Part No. LBH 1/4



Acoustical Eye Lag Driver_

1/4" Hex drive for quick installation of eye lag hanger bolts.

Part No. 1900



Lag Stud Driver_____

Also available for 1/4" threaded rod.

Part No. LSD 1/4

Also available for 5/16" threaded rod.

Part No. LSD 5/16

1/4" Hex drive for 3/8" threaded rod.

Part No. LSD 3/8



Power and Hand Wing Nut Driver.

New patented design which tightens wing nuts for shutter installation.

Part No. W001 - Power Driver

Part No. W003 – Hand Driver, 6" OAL





Patent No 379,420



SPECIALTY PARTS CONT.



SOCKETS

<u></u>					
Part Number	Male Drive	Hex Socket	Overall Length		
500ST-9375	1/2"	1"	1-3/4"		



HAND DRIVER

Part Number	Hex Size	Overall Length	
NS 1/4	1/4"	6"	



L-KEYS

Part Number	Number	Overall Length
69-T20	T20	4"
69-T25	T25	4"



3/8" FEMALE SQUARE DRIVE BIT HOLDERS


Part Number	Hex Insert Bit Size	Overall Length	
375BH 5/16	5/16"	1-3/16"	
375BH .437	7/16"	1-3/8"	

HEAVY DUTY FASTENING TOOLS



SPECIALTY PARTS CONT.

FEMALE SQUARE DRIVE QUICK CHANGE BIT HOLDER



HEX DRIVE EXTENSIONS

Part Number	Drive Size	Male Square	Overall Length
250SH 3/8-B4	1/4"	7/16"	4" W/BALL
250SH 3/8-12	1/4"	7/16"	12"
250SH 3/8-18	3/8"	7/16"	18"
375SH 1/2	3/8"	1/2"	1-1/2"



FEMALE SQUARE DRIVE EXTENSIONS

Part Number	Drive Size	Female Square	Overall Length
500SH 1/2-2	1/2"	1/2"	2"
500SH 1/2-6B	1/2"	1/2"	6" W/BALL
500SH 1/2-8	1/2"	1/2"	8"
500SH 1/2-10	1/2"	1/2"	10"
SH 1/4-3/8-6	1/4"	3/8"	6"
SH1/4-10	1/4"	1/4"	10"





UNIVERSAL ADAPTORS



Part Number	Male Square	Female Square	Lock	Overall Length
MF-50H	1/2"	1/2"	Pin	3"
751-ADP	3/4"	1/2"	Ball	1-7/8"
500SQADPT	3/8"	1/2"	Ball	1-7/8"